









Side Mirror Guard

Protects from Scratches & paint wear off

Door Edge Protection

Protects from Scratches & paint wear off

Bumper Guard

Protects from Scratches Chips, stains & paint wear off


Door Handle CavityProtects from Key & Jewellery Scratches

PRODUCT CONSTRUCTION

Door Sill ProtectionProtects from Scratches

Full Body Protection Protects from Scratches on hood, roof, bonnet side panel etc

Protection Film (Clear PET)
Top Coating
TPU
Adhesive
Release Liner (Matte PET)



 Our TPU film is provided with a top class self healing coating, the low surface energy of top coat limits water & dirt accumulation on the film surface, ultimately providing excellent longevity.

PRODUCT PERFORMANCE PROPERTIES:

- Excellent durability, clarity & high gloss
- Self-healing property from minor scratches
- Excellent water repellent property
- Non-yellowing
- Easy for installation

Thermoplastic polyurethane (TPU) film have a low degree of hydrolysis & high UV resistance. The adhesive used in a clear acrylic pressure sensitive which has a removable & non-yellowing property. installation gel is recommended for enhancing workability on vehicle surfaces.

CARE INSTRUCTIONS:

- Wash your car after 48 hours after film is installed
- Use waxes that do not contain dyes, abrasive polishes or rubbing compounds
- Remove any wax build-up with a lint-free cloth
- We recommend to use Autokrom car care products for maintaining your film & vehicle finish











Side Mirror Guard

Protects from Scratches & paint wear off

Door Edge Protection

Protects from Scratches & paint wear off

Bumper Guard

Protects from Scratches Chips, stains & paint wear off

Door Handle CavityProtects from Key & Jewellery Scratches

PRODUCT CONSTRUCTION

Door Sill ProtectionProtects from Scratches

Full Body Protection Protects from Scratches on hood, roof, bonnet side panel etc

Protection Film (Clear PET)
Top Coating
TPU
Adhesive
Release Liner (Matte PET)

- Al Paint Protection Film is a specially formulated paint protection film that is applied onto your vehicle to protect from scratches, swirls caused by road debris, rocks, bird droppings & other environmental elements.
- Our TPU film is provided with a top class self healing coating, the low surface energy of top coat limits water & dirt accumulation on the film surface, ultimately providing excellent longevity.

PRODUCT PERFORMANCE PROPERTIES:

- Excellent durability, clarity & high gloss
- Self-healing property from minor scratches
- Excellent water repellent property
- Non-yellowing
- Easy for installation

Thermoplastic polyurethane (TPU) film have a low degree of hydrolysis & high UV resistance. The adhesive used in a clear acrylic pressure sensitive which has a removable & non-yellowing property. installation gel is recommended for enhancing workability on vehicle surfaces.

CARE INSTRUCTIONS:

- Wash your car after 48 hours after film is installed
- Use waxes that do not contain dyes, abrasive polishes or rubbing compounds
- Remove any wax build-up with a lint-free cloth
- We recommend to use Autokrom car care products for maintaining your film & vehicle finish